G. R. S. IX-5]

Previous references.

Pris. 62-16 (1-4)
19-17 (1-7)

1920.

(Prisons)

File No. 28-20

Serial Nos. 1-15

Later references.

Pris 73-21 (1-16)

Preserve

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. Fifteen.

Part B for March 1922

SUBJECT.

Increase of free allowance of water in the Jails.

---

8 (15)

To The I.G. of Prisons.
The Chief Engineer.
The Comptroller.

No. J 452-3 of 28-3-22.

Directs that meters should be fixed and all excess water above 12½ gallons per head per day should be paid from the Budget of the Prisons dept and that strict economy should be enforced in the use of water.

WD 1858—GPB—16,626—23-7-21

R. Nagar Mussam
30/3.

G. R. S. III-1]

1920-21

GENERAL AND REVENUE SECRETARIAT

(Prisons)

NOTES.

File No. 28-20

FILE HEADING.

Increase & free allowance & water in the Jails

From

The Inspector General & Prisons

No. 1197 / 135-04 Dated 2-10-1920 Received

Diary No. 4497] Enclos. 2 Spare Copies. [Serial No. 5-10-20

BRIEF ABSTRACT OF LETTER.

Forwards copies & letters received from the Supdts & Bangalore central and Mysore Jails and requests orders for increasing the free allowance & water from 6½ to 12½ gallons per head per day for reasons given by the Supdts & Jails

NOTES AND ORDERS.

The D.G. states that if the increase & free allowance is not sanctioned the excess water charges every year will come up to Rs 3,500/- for both the Jails and fresh allotments will have to be sanctioned every year for meeting

NOTES—First Sheet.

G. R. S. III-2,

General and Revenue Secretariat.

Pris File No. 28 of 1920

Serial No.

the excess water charges

2) the Govt have sanctioned in G.O. no 2490 93-5 Pris 19-14-7 dt 8-6-1920 the charges for excess water consumed in the jails for the period from April 1916 to end of June 1917

3) Submd for orders

gm 7.10.20.

4) While sanctioning the excess water charges of the two jails, Govt directed the I.G. of Prisons to enquire into the cause of wastage of water and as far as possible, put a stop to it.

5) With reference to the above G.O. the I.G. states that the wastage of water is reported to be unavoidable in as much as the quantity now used is only for domestic purposes and the water so used is collected in a Catch-pit in the garden and made use of for gardening purposes and requests Sanction to the increase the free allowance of water from 6¼ to 12½ gallons per head per day.

6) The I.G. had made a similar recommendation in June 1917 and the Govt, in Consultation with the Secy. P.W.D, accepted the recommendation as regards the supply required for the Convicts and stated that all water required for non-domestic purposes

gm 8.10.20 The file is put up

NOTE—Contn. sheet.

Serial No.

There to be drawn from Reservoir taps which might be provided for the jail proper and metered

Enclosure to No 1

2) The Supdt of the Myingyan Jail is of opinion that, irrespective of the number of inmates in the jail, the daily allowance may be fixed at 6000 gallons and water drawn in excess of that quantity may be charged for.

Enclosure to No 1

3) The Supdt of the B.C. Jail states that the wastage of water is mostly due to the useless Cocks put up to the taps and suggests that they may be replaced by press Cocks and recommends the increase of free allowance of water from 6 1/6 to 12 1/2 gallons per individual.

4) Submit for orders

D.T. 30/10

5) The Supdt's letter is not clear. He wants orders raising the free allowance from 6½ to 12½ gals per head per day. But orders in this matter have already been passed in this office no 7178 dy 19.10.17. That the same has been given effect to seems to be clear from para 4 of the Myingyan Jail Supdt's letter no 666/F.42 of the P.W Secy's note in para 10 of the office notes in this file 19-17

H

Noted at Ref 2a

Noted at Ref 2b

SDO 1/11

6) Please put up a suitable draft inviting attention to the above

NOTE—Contn. sheet.

D. M. 3/11

3/11

7797

(4

General and Revenue Secretariat. | pni File No. 28 of 1920.

Serial No.

(12) Reply to the I.G. of Prisons draft D.O. 4/11 Apl 1911

(13) Issue D. No. 1911

2 Do Ltr G.O.C. Prisons no G 10223 dt 24-11-1920

Invites reference to this office letter no G 148 Pris 62-16-4 dt 19-7-1917 passing orders in the matter and enquiries if effect has not been given to the order communicated in that letter.

THE PROTECTOR 1 L.I. 30/11/3

From

The I.G. of Prisons, Mad. No 23/135-07 dt 7th Jany 1921 forwards copy of letter G 23rd Dec 1920 and memo G 11/15th December 1920 received from the Supdt of the Mysore Jail and the Executive Engineer Water Supply Distn, Mysore respectively, regarding the free allowance of water to the Mysore Jail

(14) The Executive Engineer is reported to have asked the Mysore Jail Supdt to obtain orders of Govt for not cutting off water supply till the question of excess water Charges is finally settled.

W.

(15) From the G.O. of 8th June 1920, it will be seen that about Rs 10,000 has been realisable being

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

14679
7797

Pris File No. 26 of 1920.

Serial No.	
	The total amount of excess water charges of the Mysore and Bangalore jails for the period from April 1916 to end of June 1917, has been adjusted.
16)	further action seems to be necessary as regards the adjustment of the arrear charges. The I.G. now requests orders to prevent the cutting off of the water supply to the Mysore jail, pending final orders in the matter of raising the free allowance of water to jails
17)	A letter to the Chief Engineer issuing instructions accordingly submitted for approval. seeking Govt orders on Prisons Secretary's proposals for adjustment of arrear charges
18)	11/1/21 A draft letter to the Chief Engineer issuing instructions accordingly submitted for approval.
19)	Draft letter to the Chief Engineer submitted for approval. P.M. 12/1
4062 12.1.21	III Member 20) Approved. 13/1/21
	21) Issued P.M. 14/1.
4	To the Chief Engineer No. G. 13811 dt 15-1-1921 Requests that the water supply may be continued to

NOTE—Contn. sheet.

16493 (i

G. R. S. III-2]

General and Revenue Secretariat. | Pers File No. 28 of 1920

Serial No.	
	To the Deputy Commissioner.
	So for S. G. & Persons
	No G 13812 dt 15-1-1921
	Forwards copy of the above with the request that the information called for in Sl 2 may be submitted as also proposals for the adjustment of arrear water charges.
5	From the Chief Engineer No. M. 6712 dt 31. 1. 1921
	Forwards, with refce. to Sl 4, copy of letter from the Supdg Engineer, Sanitary Circle, & requests orders on para 4 thereof.
	(1) In all cases of excess water charges the Department concerned should make immediate payments & the claim for refund with the sanction of Govt.
	(2) Subd for orders
	Note 5/2 Rec: thereby
	(3) Remind Dy. your memo No G 13812 dt 15.1.21 & ask for immediate reply. Let this particular question be first retorted. MM 8/2/21 Dy. Dy. 8/2

NOTE—Contn. sheet.

18.255 (7

G. R. S. III-2]

General and Revenue Secretariat. | Pris File No. 28 of 1924

Serial No. 16) Draft reminder sub'd with reference to para 24.

SSR 4/2

27) D & Secy D. 4/2

× destroyed.

Memo no G 15658 dt 11-2-1921

VK. 15/11

1 | 2 From the D. G. of Prisons.
No. 363/13507 d/ 1. 3. 1924
Writes with reference to Memo No. G-13812 d/ 15. 1. 1921 that it is not possible to send up proposals unless the water used for non-domestic purposes is metered. Gauged.
Sub'd with reference to para 24

SSR 4/3 28, Pris for orders if the further reference para 24 of 27 in the matter may be awaited. If so, an ad-interim reply to the Chief Engineer with regd to this letter of 31.1.1924 will perhaps be necessary.

8.11.05

ARR 14/3

Rev: SSR

D. 20/3

~~... reminder may perhaps be framed as suggested by the Safety Engr~~

29, There may be no provision from which to pay up // The situation may be intimated to Ch. Engr & final orders asked to be awaited. Perhaps draft to be submitted to 3rd Member

NOTE—Contn. sheet.

for appl or other orders.

21-3-24

D. 21/3

General and Revenue Secretariat. | File No. 28 of 19 20

Serial No.	
	30) D/L letter to the Chief Engineer dated 19th ult. forwarding a copy of Rem. dated 24/3 and requesting that the same may be returned with his remarks thereon. D. M. 31/3
5569 31-3-21	3rd member). 31) Dmsp. apps. 1/4 Please let know this question is settled without any delay. 1/4. 1/4. D. M. 1/4
Remr. on 15.4.21 D M	4 To the Chief Engineer no 9 18785 dt 6-4-1921 D. M. 1/4 Sholapur states that there are no funds in the Provn. Budget to meet the charges and requests that pending final orders the water supply may be continued to the two jails. To the D. E. & Pr..... no 9 18486 dt 6-4-1921
	Forwards copy of the above. D/L reminder dated 28/4. D. M. 30/4
	* Item no 9 20654 dt 3.5.21 destroyed.

Urs A (Urgent) 11/4

Please peruse

SECRETARIAT III PROT. BRANCH. 14 APR 1921

Please see 11/5

NOTE—Contn. sheet.

Urs A 11/5 1921

G. R. S. III-2]

89/9-24135

9

General and Revenue Secretariat.

P.W.S. File No. 2 of 19 21

Serial No.

From

The I.G. of Prisons. No. 220/135-D, dated 24.5.21

In reply to (1) states that definite proposals will be submitted after receipt of complete information on the subject from both the Superintendents of the Jails

(2) Letter from Personal

(3) Please discuss Resn. enquire re. what stage it stands

D. to 26

(4) D/L Letter 18.7.21

(5) Issues D. 14.7.1926

Abolition of supply interrupted

(6) See D. of P. Prisons No. 2 24800 dt. 22.6.1921 Enquiries in what stage the question stands

From

The I.G. of Prisons. No. 220/135-D, dated 7.7.21.

With reference to the above it states that the matter of fixing meters to the taps from which water is drawn for non-domestic purposes in the jails, is under correspondence between the Superintendents of the jails & the Water Works Deptt. and that the proposals will be submitted in due course

(7) Letter from Personal

(8) Mr. Rees Resd. 9.7.21 D.M. 9/7

2nd Reminder 15.7.21 D.M. 9/7

(9) Letter 24/7/21 D.M. 9/7

Stuff Resn. destroyed.

JUL 1921

NOTE—Contn. sheet

269 11.7.21.

G. R. S. III-2.

General and Revenue Secretariat.

pms File No. 28 of 1920

10

Serial No.

34) Rem^r on 10.8.21
D.M.
25/8

8 From

The Chief Engineer No. M.5795 4/4/21
With reference to Serial 7 of 6.4.21
requests to be informed exactly when the question of the adjustment of the arrear excess water charges of the limits of Mysore & Bangalore, may be expected to be finally disposed of.

35) After the receipt of the proposals from the P.G. for increasing the free allowance of water from 6½ to 12½ Gallons, the question of adjustment of the arrear charges has to be taken up. (Vide para 249 Instrns) proposals are yet awaited.
Reply to the Chief Engineer
D. 26/7 RRC 36) A reminder will also be sent to the P.G. to expedite his proposals after the present reply is sent.

yes D.M.

37) Draft reply to the Chief Engineer is submitted for approval

D.M.
6/8

Received

4.8.21.

38) Issued

D.M.
6/8

NOTE—Contn. sheet.

General and Revenue Secretariat. | Pwi File No. 28 of 1920.

Serial No.

9 To The Chief Engineer
No 422 dt 12.8.1921
States that final orders will be passed in the matter in due course

39) D/L reminder to the S.S. of Pwi requesting to expedite the finalization of the proposals in the matter of increasing the free allowance of water to the Hot Jails Distt. with reference to para 36 of 38

of 13/8 MD/1921 40) Issued D. No. 2018

Item no 9951 dt 24.8.1921

10 From

The Chief Engineer no. M-143 of 22/23.8.21

With reference to Serial 9, states that the free allowance has, as can be seen from U.O. no 9/10 W.D. of 30th Jany 1918, already been increased from 6¼ to 12½ gallons and that there can be no question of further increasing the free allowance

41) Govt in their letter no S-128 of 19th July 1917 issued orders accepting the recommendation of the S.S. to increase the free allowance from 6¼ to 12½ Gallons and in their letter of 24th Nov 1920 enquired the S.S. of Pwi as to effect has not been given to the Order of 19th July 1917 and requested the S.S. to send up proposals in the matter if the reply was in the ~~negative~~ affirmative

destroyed.

Para 109 of the notes of Pwi 1917 refers

NOTE—Contn. sheet.

General and Revenue Secretariat.

pms File No. 28 of 1920

Serial No.

42) The E.S. was also reminded in this office letter dt. 15/9/21 In reply to the above, the E.S. states that it would not be possible to send up proposals unless the water used for non-domestic purposes was metered & charged.

43) Under the circumstances explained, it may perhaps be presumed that the free allowance of water has not yet been raised to 12½ gallons. proposals from the E.S. may perhaps be awaited. A.S. 25/8 and the E.S. requested to expedite proposals after working out necessary details.

25/8

Yes 26/8/22

O.S.

44) Reply to the marginally noted reminder has not been received. Another draft reminder is submitted for signature.

45) Issue

cwg 8/10

8/10/22

8/10

Letter No: 1334/135-07 dt 15.10.21 from the E.S. of Bijapur stating that reply will be sent by the end of this month or so.

Memo. dt. 17-10-22 received from E.S. Bijapur stating that reply will be sent by the end of this month or so.

7/11 Issue

7/11/22

Reminder No 1482 dt 9.11.1922

Note—Contn. sheet

G. R. S. III-2]

General and Revenue Secretariat.

File No. 28 of 1920

Serial No.

soon as reports are received from the Supdg of Jails (in reg the allowance of water).

46) Lucy The proposed reply of the D.S. of Police may be awaited

47) Yes. Cay 25.10.21

Lucy 20/10/21 MD 25/10.

[illegible] Engineer 30 Dig 25.10.21

In intimating this Order to the Supdg of Jails may also copy of the 8.11.21 to the Executive Engineer addressed to the Supdg of Jails, Sanitation Circle.

48) The reply from the D.S. of Prisons will be awaited A.P. 25/10

49) Cay. of the reference may be 2nd [illegible] and he may be requested to expedite [illegible] reply MD 28/10 From

50) Yes Cay 29.10.

11) The D.S. of Prisons in 1388/35-07 dt 28th Oct 21 requests for reasons stated that the free allowance of water to the Jails may be increased to 6 gallons per prisoner per day and promises a further report as regards the quantity of water consumed for domestic & non-domestic purposes separately

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat. V/121 File No. 28 of 19 20

Serial No.

S1) The Chief Engineer has stated in his letter of 22/23.8.21 that the free allowance has already been increased from 6¼ to 12½ Gallons and that there can be no question of further increasing the free allowance when the maximum of such allowance has already been reached.

The J.S. now represents that - the free allowance may be raised to 16 Gallons.

S2) The J.S. does not say what the quantity of free allowance of water is now allowed in the Jail. This bill, if approved, be enquired into.

S3) The J.S. may be requested to ascertain & intimate the quantity per head per day allowed to Jail inmates in Madras & Bombay Presidency Jails where Piniden system of water supply prevails. In the meantime he may be asked to take immediate steps to regularise the supply for domestic & non-domestic purposes. The Jail Superintendent should lose no time in attending to this. There has been a long delay already. The Chief Engineer may also be informed accordingly.

1/11/21 Put up the above for orders.

NOTE—Contn. sheet.

1692

15

G. R. S. III-2]

General and Revenue Secretariat.

Res File No. 28 of 19 20

Serial No.

the matter until ~~finally decided~~ the fee allowance question is finally decided and that the Water Supply Department may be asked to help the Superintendent of Jails in regularising the water supply for domestic & non-domestic purposes by repairing & putting up of ~~additional~~ meters as required by the Jail Superintendent

1/11/21

5-4) Please prepare two drafts as per Supdt's note.

CAG 12.11.21

Pers 5-5) two drafts sent

D/ 16/11

16/11

5-6) Issue.

CAG 16.11

12 To The S. P. & Persons

No. 2169 dt. 19.11.1921

Requests him to ascertain and intimate the quantity per head per day allowed to Jail inmates of Madras and Bombay Presidencies and that the Jail Suptdt may be instructed to take immediate steps to regularise the supply for domestic and non-domestic purposes.

13 To The Chief Engineer

No. 2162

NOTE—Contn. sheet.

1692

G. R. S. III-2]

General and Revenue Secretariat.

Part File No. 28 of 1922.

Serial No.

Requests that the water supply dept. may be asked to help the Superintendent of Jails in regularising the water supply for domestic and non-domestic

SW A
Part
24/1/22

From

The S.S. of Prisons. No. 147/135-O, dated 24.1.22

With reference to Serial 12, Supplies the information regarding the supply of water to the Jails in the Bombay & Madras presidencies.

5(a) It is reported that there is no system of free allowance of water in the Bombay Jails and that 50 Gallons of water per every rupee of the monthly rental valuation of the building are allowed free at the penitentiary, Madras.

5(b) The S.S. does not say anything about the progress made in the matter of Regularising the water supply to the two Jails.

Subd
D.T. 26/1.
26/1

5(a) There does not appear to be any free allowance of water for prisoners in the Bombay Presidency, except perhaps in the Jail at Hindalgi, (Belgaum), where the

NOTE—Contn. sheet.

Serial No.

Said to be 25 gallons per prisoner. The communication on this point is, however not quite clear.

(c) In Madras, free allowance is based on the rental value — 50 gallons per rupee of rental value of the building — and not per head of the prisoners. It is not therefore possible to calculate the quantity of free allowance per prisoner.

(d) The free allowance has been increased from 6¼ gallons to 12½ gallons per head & the Chief Engineer is against any further increase. The Jail Dept, now, proposes 16 gallons per head. His original proposal was for 12½ gallons which has already been granted. The quantity of water utilised for domestic and non-domestic purposes is not yet furnished. Dues from 1914 upwards are yet to be paid to the water-works Deptt.

(e) To orders whether the free allowance is to be raised to 16 gallon.

Gen Secy 27.1.22

Cay

63

Subsidiary From the War Correspondence

NOTE—Contn. sheet.

N. 785/7

G. R. S. III-2]

General and Revenue Secretariat.

File No. 18 of 1922

Serial No.

is going on in this case there seems little prospect of an early decision. —

6th I think the recommendation of the D.G.P. to fix the fire allowance at 7 6 1/4 Fathoms per prisoner per day may be accepted without further discussion. The fire allowance is usually calculated on the rental value of the building but this is obviously an unsuitable test in the case of big jails like those in Bangalore & Mysore. The information obtained regarding the allowances in Madras and Bombay shows that the personnel of the D.G.P is not extravagant.

6th Forwarded to Secy P.W.D with compliments for favour of opinion

Ramaraya
Supdt
3/2

2/2/22

Secy
1/2/22

submitted to Manager

9-2-22

9-2-22
6-2-22

NOTE—Contn. sheet.

Serial No.

66 The water supply installations in the Bangalore and Mysore Cities are based on an average supply of 12½ gallons per head per day They are to be worked on a commercial basis and according to rules, the free allowance should be calculated on the rental value of the buildings. But in consideration of the fact that in an institution like the Jail, the number of inmates is out of all proportion to the number in an ordinary dwelling house, the free allowance has been fixed at 12½ gallons per head per day, the same as that allowed for a free citizen-

67 If the requirements of a convict are greater than that of a free citizen, which is in itself inconsistent, it is only right that the Jail Department should pay out of its Budget the cost of the excess quantity required and not tax the water supply Department which, as already stated, should be worked on a commercial basis-

68 It may also be noted that there are some industries in working in the Jail which also utilise pipe water-

69 For these reasons, I am of opinion that the free allowance to the Bangalore and Mysore Jails should be calculated on the rental value

NOTE—Contn. sheet.

GPB—30,000—30-6-15

2785

G. R. S. 12]

General and Revenue Secretariat. | Pws File No. 28 of 1920.

Serial No.

of the buildings or at 12½ gallons per head per day, and all water drawn in excess of this quantity for whatever purpose it may be, should be paid for by the Jail Department at the prescribed rates-

7) In this connection, it should be borne in mind that water in Bangalore and Mysore is more costly than in many other places and cannot on that account be compared to supplies allowed to Jails elsewhere-

Madanbi
Secretary to Government,
Public Works Department.

REVENUE SECRETARIAT.
23 FEB 1922
SPECIAL BRANCH

Camp, Mysore,
22nd February 1922.

(P. & Secy)

71 This an exceedingly difficult matter to fix the rental value of the two Jail buildings. Any Calculation is bound to be arbitrary. We must therefore fall back on the per Capita Consumption as a basis of calculation

72 If the proposal of the Secretary Board is accepted then the excess over 12½ gallons per head per day will have to be

NOTE—Contn. sheet.

GPB—20,000—30-6-15

2785

21

. R. S. III-2)

General and Revenue Secretariat.

File No. 25 of 1920.

Serial No.

paid for by the Prisons Dept to the P.W.D.

The proposal may be accepted in the circs. Redlich

2nd Member
1st Member

4/3.
cur
4/3

73) I do not think the rate of 12½ gallons per head per day can be exceeded. There is already a great demand on the water supply systems of both the cities owing to their expansion & an additional 4 lac gallons cannot be taught of as mere drops in the bucket. 16 gallons per head per day cannot be allowed. Meters should be fixed & all excess water paid for from the budget of the Prisons Dept.

4684-108
7.3.22

188
10/3

1st Member

9.3.22

74) Agree with the Member

cur
4
17.)

75) Draft

4 14/3 cur

Mes

NOTE—Contn. sheet.

G. R. S. III-2]

278 2

General and Revenue Secretariat. | Pris File No. 28 of 1920

Serial No.

76) Draft sent for consideration
Secy
14.3.22

77) In approval
Gen Secy
15/3

15/3

6576
22.3.22.

3 N Members

78) Appd
Secy
24/3

21/3
Secy
21/3

79) Issue
24/3
Secy
24/3

15

The D. G. P. Roads
Chief Engineer
Comptroller.

D. 2621-8 of 28.3.22.

Directs that meters should be fixed and all excess water above 12½ gallons per head per day should be paid from the budget of the Roads Department and that strict economy should be enforced in the use of water.

NOTE—Contn. sheet.

Pris: 2]

OFFICE OF THE INSPTR.-GENL. OF PRISONS IN MYSORE,

No. 1497 Encl 1 S-O. DATED BANGALORE, 2nd October 20 1931

FROM

H. B. Mylvaganam Esqr., F. R. C. S.,

Inspector-General of Prisons in Mysore,

Bangalore.

To

C. S. Balasundaram Iyer Esqr., B. A.,

Chief Secy. to the Govt. of H. H. the Maharaja of Mysore,

~~General and Revenue Departments.~~

SIR.

With reference to Government Order No. G. 27093-5/Pris 19-17-7 dated 8th June 1930, I have the honor to forward herewith copies of letters Nos. 1367/F. 76 dated 21st September 20 and 666/F. 42 dated nil, received from the Superintendents of Bangalore Central and Mysore Jails respectively and to request that you will be so good as to obtain the Order of Government for increasing the free allowance of water from 6½ to 12½ gallons per head per day for reasons given by the Superintendents of Jails, and to state that the wastage of water in the Jails is reported to be unavoidable in as much as the quantity now used is only for domestic purposes and the water so used is collected in a catch-pit in the garden and made use of for gardening purposes.

If the increase of free allowance is not sanctioned the excess water charges every year will come up to Rs. 3500/- for both the Jails and fresh allotments will have to be sanctioned every year for meeting the excess water charges.

I have the honor to be,

Sir,

Your most obedient servant,

H. B. Mylvaganam

Inspector-General of Prisons.

11182

GPB—506—19-5-15

From

The Inspector-General
of Prisons in Mysore,
Bangalore.

To

The Chief Secretary to the Govt. of Mysore,
General and Revenue Departments.

Dated 2nd October 20.

Despatched

Received

General No. 1497
No. 135-07.

Enclosure No. 2.

Subject

Request to obtain orders of Government for increasing the free allowance of water from 6½ to 12½ gallons per head per day in the Bangalore Central & Mysore jails

OFFICE OF THE INSPECTOR GENERAL OF PRISONS
PROTECTION BRANCH.
5 OCT 1920

Letter No. 666/F. 42 dated nil from the Superintendent Mysore Jail, Mysore, to the Inspector-General of Prisons in Mysore, Bangalore.

- -@-@-@-@-@-@- -

With reference to your Memo No. 877-78/135-07 of the 19th June 1920 and subsequent reminder thereto in the matter of larger consumption of water in this Jail than that allowed for free - Citizens, I have the honor to report as under :-

2. The metre was fixed in this Jail in June 1915, since then the water consumed in this Jail seems to have been regularly gauged. The enclosed statement received from the water supply office shows the following.

3. The water consumed in this Jail during the quinquennial perig from 1st July 1915 to 30th June 1920 is about 16¾ millions of gallons. Out of this quantity, the water supply department foregoes the charges of 4½ millions of gallons as free allowance and claims payment for the remaining 12¼ millions of gallons of water consumed in excess.

4. The free allowance made as above has been calculated on an aggregate population of about 355,200 in the quinquennial and the allowance made is 12½ gallons per prisoner per day.

5. The fact that an aggregate of 355,200 has consumed 16¾ - millions of gallons of water in 5 years shows that each prisoner consumed on average of 47 gallons a day.

6. It must not be supposed for a moment that a prisoner requires actually 47 gallons of water a day, for his personal use. The water drawn from taps in this Jail is put into following uses besides drinking.

(1) To cook prisoners food
(2) To clean cooking vessels
(3) To flush kitchen
(4) To flush barracks and cells
(5) To flush drains
(6) To flush latrines
(7) To bathe prisoners
(8) To wash prisoners'clothes
(9) To ablutionery and other purposes.

The

The water thus used is not wasted but is being utilized for the garden. The garden attached to the Jail at Mysore, has no independent source of supply water. It depends solely on this wastage ~~of~~ water for the production of vegetables for the use of the convicts. Any dimunition in the available quantity of waste water is sure to tell upon ~~one~~ the garden production. Annually about Rs. 800 - 900 is being derived from the garden produce. As per section 618 of the Jail Manual the Jail inmates must solely depend for vegetables on the garden produce.

7. The industries carried on in this Jail are on such a minor scale, that ~~one~~ the water consumed thereby neglected.

8. The minimum water required for purposes enumerated in para 6 above may be roughly estimated at about 6000 gallons a day for the following reasons.

9. The waste water in the kitchen (after cooking food, cleaning vessels and flushing the kitchen and drains) is lead into a catch-pit in the Jail garden; the capacity of which appears to me to be about 4000 gallons. As the catch-pit is filled to the brim in 2 days, I estimate that, making due allowance for evaporation and for absorption in the mud ~~of~~ sides and loose soil of the feeding drains, the water required for this purpose is roughly 3000 gallons.

10. For the personal use of prisoners such as for bathing, washing their faces and clothes and for ablutionery purposes and also as a measure of precaution against ~~sudden~~ sudden failure of water (which is frequent) and for out-break of fire, one cistern full of water is daily set apart. This cistern holds about 3000 gallons of water Although this quantity is required for the personal use of prisoners in full on Sundays only, it is not possible on other days to use the unutilized water in the cistern, for any domestic use.

11. I am therefore of opinion that irrespective of the number of inmates in this Jail the daily allowance may be fixed at 6000 gallons and water drawn in excess of this quantity ~~above~~ may be charg

12. As regards garden on which the Jail solely depends for its

vegetab?

26

vegetable supply, it is advisable to make arrangements to provide it with an independent water supply. If this, provided for, the wastage wastage of tap water may be reduced to a small extent without interfering with the garden produce. As it is, any interference in this direction, to get the reduction in the wastage of water, is sure to interfere with the garden produce, since the garden solely depends for its water supply on this wastage water.

-@-@-@-@-@-@-@-@-@-

"C O P Y"

L. B. Mayhew Jnan

Inspector-General of Prisons.

2/10/20.

21st September 20.

Letter No. 1367/F. 76 dated ~~nil~~ from the Superintendent Central Jail, Bangalore, to the Inspector-General of Prisons in Mysore, Bangalore.

- -@-@-@-@-@-@-@-@-@-@- -

With reference to your memo No.877-78/135-07 dated 19th June 1920 forwarding copy of Government Order No. G. 27093-5 dated 8th June 1920, regarding the extra quantity of water used in the Jail, and requesting to intimate the cause of wastage of water, I have the honor to state that the wastage of water is mostly due to the useless cocks put up to the taps in the Jail. All the cocks now in use are therefore to be replaced by good ones preferably by press cocks.

2. As regards the rising of the quantity of free allowance of water from 6¼ to 12½ gallons per individual, the reasons set forth in this office No. 386/F. 76 dated 30th September 1916 hold good, and besides more water is being utilized for flushing drains and for construction and repairs etc., in the Jail. Under these circumstances, it is difficult to say that more water has been utilized for domestic purposes only. If a metre is placed in each barrack and work-shed and the quantity of water utilized is gauged separately, it will then be easy to say accurately how much water has been used for domestic and non-domestic purposes.

Enclosure to 8(1)/Pris 62-16

3. The Range Officer has written for the settlement of all the arrears on account of water taxes due by the Jail. I do not know from what source the cost is to be met in the current year's budget. In this connection I beg to submit that the bills on account of water charges may be kept in abeyance until the question of raising the quantity of free allowance of water per each prisoner is finally settled. The favour of early instructions is solicited.

- -@-@-@-@-@-@-@-@- -

" C O P Y "

H.D. Mysorgeson

Inspector-General of Prisons.

2/10/20

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 7197

General and Revenue Secretariat

( )

, the *191*

Date of issue 24/11/20.

Signed by Mr P.M.

Section pris

File No. 28-20

Serial No 2

No. G10223.

To The P.S. of pris-ms

Sir

With reference to yr letter no 1669/1350-07 of 2nd Oct 1920 requesting orders in the matter of raising the free allowance of water from 6½ to 12½ gallons per head per day in the Bangalore and Mysore jails, I am directed to invite reference to this Office letter no J.178 pris 62-16-4 of 19th July 1917 passing orders in the matter and to ~~say that the said letter has been given effect to~~ ~~& I am to be clear from~~ para. 49 letter No. X. 666 of 7.42 & nil from the Supdt. The Superintendent may be carefully examined and ~~reference in the margin made to that statement~~ & I am etc

enquire if effect has not been given to the order communicated in that letter as is mentioned in

Issue letter under reply

If the reply is in the affirmative the exact nature of your proposal may be indicated

P. M. 24/11

24/11/20

10/11

For Addl

29

Pris- 2]

OFFICE OF THE INSPTR.-GENL. OF PRISONS IN MYSORE,

No. 23/135-07. DATED BANGALORE, 14 January 21. 191

Enc 2.

FROM

Dr. H. B. Mylvaganam, F.R.C.S., (Eng).

Inspector-General of Prisons in Mysore,

Bangalore.

DIARY NO. 14679

19 13

Pris

28-20

3

To G. Aravamudu Iyengar Esqr., B.A., B.L.,

Secy. to the Govt. of H. H. the Maharaja of Mysore,

General and Revenue Departments.

SIR:

In forwarding herewith a copy of letter No. 959/F. 42 dated 23rd December 1920 to-gether with a copy of its enclosure, I have the honor to request that you will be so good as to obtain orders of Government to prevent the cutting off of the water supply to the Myscre Jail, pending final orders of Government in the matter of raising the free allowance of water to Jails.

I have the honor to be,

Sir,

Your most obedient servant,

H.B. Mylvaganam

Offg. Inspector-General of Prisons.

3480

GPB—506—1,75,15

From

The Inspector-General
of Prisons in Mysore,
Bangalore.

To

The Secretary to the Govt. of Mysore.
General and Revenue Departments.

Dated 7th January 21.

Despatched

GEN & REV. Sec
Ch Sudlow
10 JAN 1921

Received

General No. 23/135.07
No.

Enclosure No. 2.

Subject

Request to obtain orders of Government to prevent the cutting off of the water supply to the Mysore Jail

11 Jan. 1921

Letter No. 959/F. 42 dated 23rd December 1920 from the Superintendent Mysore Jail Mysore, to the Inspector-General of Prisons in Mysore, Bangalore.

-@-@-@-

I have the honor to enclose herewith the original letter received from Sub Assistant Engineer, Vanivilas water works, Mysore and request you to obtain the sanction of Government to prevent the cutting off of the water supply till the question of excess water charges is finally settled.

-@-@-@-@-@-

" C O P Y "

K.D. Mysore

Offg. Inspector-General of Prisons.

7/1/21.

Ser. 503 31

Letter No. 3133/1 from the Superintendent Water Works, Mysore, to the Executive Engineer Water Supply Division, Bangalore.

-@-@-@-@-@-@-

In continuation of this office No. 3130 dated 9th December 1920, I have the honor to submit herewith copy of the Mysore Jail Superintendt's letter No. 893/F. 42 dated 6th December 1920 for kind information and orders.

-@-@-@-

M e m o No. 1169/1 dated 11/15th December 1920.

The Superintendent may be informed, in reply, that the sanction of Government may be obtained and communicated for not cutting off water till the question of excess water charges said to still under consideration, is finally settled, as in the absence of such an order the orders of Government already passed, will have to be given effect to.

Sd/- G. V. Rao.

Executive Engineer, Water Supply Division.

-@-@-@-@-@-

No. 2589 dated 18th December 1920

Copies of the above are forwarded to the Superintendent Mysore Jail, Mysore, for information with a request to make arrangements for payment of the amount in question before the 15th January 21.

Sd/- Hutcha Rao,

Sub Assistant Engineer, V.Vilas Water Works, Mysore.

-@-@-@-@-@-@-@-

"C O P Y"

H.B. Mylarappa

Offg. Inspector-General of Prisons

7/1/21.

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 4679

General and Revenue Secretariat

( )

, the *191*

Date of issue 15/1

Signed by M Pm

Section Pris

File No. 28-2

Serial No 4

No. G 1381 Genl

To

The Chief Engineer

Sir

I am directed to forward herewith with enclosures Copy of letter No 23/135-G dt. 9-1-24 received from the J-G-G Prisons and to request that pending final orders in the matter granting the free allowance of water to the Gaols, the water supply may be continued to the Mysore Jail

I have etc

D. M.

12/1

for Secy

Copy forwarded to the J-G. Prisons for information with the request that the information called for in this office letter No G. 10223 Pris 28-20-28 24-11-1920, may be furnished at a very early date as also proposals for the adjustment of arrear water charges

B.D

over.

G 1381

15/1/24

D

11/1.

11/1

16693 33

Pris
28-20

Mysore Public Works Department,
Central office, 5
Dated Bangalore, 31st January 1921.

No. m. 6712.
Encl.

From

FIN & REV. SECTT
2- FEB 1921

S. Cadambi, Esq.,
Chief Engineer of Mysore,
Bangalore.

52-9

To

G. Aravamudu Iyengar, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Revenue Department, Bangalore.

Sir,

2/2

FIN 3 FEB 1921

With reference to your letter No.G.13811/Pris. 28-20-4 dated the 15th January 1921, requesting that pending final orders of Government, in the matter of raising the free allowance of water to the Jails, the water supply may be continued to the Mysore Jail I have the honour to forward herewith, for information, a copy of letter No.2378 dated the 11th January 1921 received from the Superintending Engineer, Sanitary Circle, on the subject and to request that orders of Government may kindly be obtained on para 4 thereof in which it is pointed out that in all cases of a similar kind, it is desirable that the Department concerned should immediately pay the excess water charges due and claim refunds, if necessary, after obtaining Government sanction for extra free allowance.

2. The favour of an early reply is requested.

I have the honour to be,

Sir,

Your most obedient servant,

R V Sundaramma

For ChiefEngineer of Mysore.

J.R.29th

Ex. Ltrs 34

Letter No.2378 dated 11th January 1921 ffom the Superintending Engineer, Sanitary Circle, to the Chief Engineer of Mysore, Bangalore.

****

I have the honour to state that the Executive Engineer, Water Supply Division, reports that a sum of Rs6,793 is outstanding to end of December 1918 as also the charges for the subsequent six quarters. Notice of demand has also been issued to the Superintendent, Mysore Jail.

2. The Government order No.C. 27093-5/Pris. 19-17-7 dated the 8th June 1920, enjoins that all water drawn in excess of free allowance should be paid for by the Jail Department, providing at the same time ways and means for meeting the excess water charges

3. The Inspector General of Prisons informs the Jail Superintendent, that the question of increasing the free allowance of water is pending with Government.

4. In all cases of this kind, it is desirable that the Department concerned should pay the charges immediately and claim refunds, if necessary, after obtaining the sanction of Government for extra free allowance.

5. Under the circumstances, I solicit your kind instructions in the matter.

Copy

M. Narasimhaiya

Assistant Secretary to Government,

Public Works Department.

J.R.29th

Pris. 3]

No. 363/135-07 Ene: 2.

Pris 28-20-C

OFFICE OF THE INSPTR.-GEN. OF PRISONS IN MYSORE,

Dated Bangalore 1st March 21.

FROM

Dr. H. B. Mylvaganam, F.R.C.S., (Eng).

Inspector-General of Prisons

in Mysore, Bangalore.

To

B. Ramaswamaiya Esqr., B.A., B.L.,

Secretary to the Government of H. H. the

Maharaja of Mysore, Revenue Department,

Bangalore.

SIR.

In reply to your letter No. G. 13812 dated 15th January 21 I have the honor to report that it will not be possible to send up proposals regarding the free allowance of water to the Jails at - Bangalore and Mysore unless the water which is used for non-domest purposes is metered and gauged.

In this connection I send herein enclosed copies of letters received from the Superintendents Bangalore Central and Mysore Jails, for favour of perusal.

I have the honor to be ,

Sir,

Your most obedient servant, .

H. B. Mylvaganam

Offg. Inspector-General of Prisons.

55747

GP—306—29-5-15

191

From

The Insptr.-Gen. of Prisons

in Mysore, Bangalore.

To

The Secretary to the Government
of H.H. the Maharaja of Mysore
Revenue Department
Bangalore

Dated 1st March 1921.

Despatched

Received

GEN & REV. SEC
3 MAR 1921

General No. 363

No. 135-07

Enclosure No. 2.

Forwarding for perusal copies of letters from the Superintendents of the Bangalore Central and Mysore Jails, reports that it will not be possible to send up proposals in re- the free allowance of water unless the water use for non-domestic purposes is metered and gauged.

CHIEF SECRETARIAT
... 1921

Pers
3/3

Pers (Mysore)
3/3

This may be one of proposals in I

Letter No. 282/F. 76 dated 21st February 1921 from the Superintendent Central Jail, Bangalore, to the Inspector-General of Prisons in Mysore, Bangalore.

-@-@-@-@-@-@-@-@-

With reference to your Memo No. 293-94/135-07 dated the 17th February 1921, forwarding copy of letter No. G.15658/Pris dated 11th February 1921 from the Secretary to the Government of H. H. the Maharaja of Mysore, Revenue Department, regarding the increase of free allowance of water to the Jails, I have the honor to state that the Executive Engineer of the Water - Supply Department, Bangalore, has been addressed on the subject. On receipt of his reply, the proposals called for will be submitted.

-@@@@@@@@@@-

" C O P Y "

H.D. Mysoregaum

Inspector-General of Prisons.

Sec. G 816- 37

Letter No. 177/F. 42 dated 24th February 1921 from the Superintendent Mysore Jail, to the Inspector-General of Prisons in Mysore, Bangalore.

-@-@@@@@@@@@@-

In reply to your Memo No.1808-09/135-07 dated 6th December 20 and subsequent reminder thereto regarding water supply to this Jail, I have the honor to report as follows:-

The only non-domestic purpose for which water is required in this Jail is gardening. Water is not drawn for this purpose from any separate tap provided with metre and it is not possible to reserve any one of the present 3 taps in Jail for this purpose.

I have therefore addressed the Water Supply Department to put up a separate tap with metre for this purpose and will submit my proposal after the same is done.

-@-@-@-@-@-@-@-

" C O P Y "

L.B. Mayhew

Inspector-General of Prisons.

G. R. S. VI—G/32] 114

SUBJECT.....

.....

.....

Diary No. of letter replied to 16493

General and Revenue Secretariat

( )

, the *191* .

Date of issue 6-4-21

Signed by Mr P.M.

Section [illegible]

File No. 20-20

Serial No. 7

No. G-18786

To The Chief Engineer

Sir

With reference to the correspondence ending with your letter No. M.6712 dated 31.1.1921 regarding the adjustment of the excess water charges of the flats at Mysore & Bangalore I am directed to state that there are no funds at present in the Prisons Budget to meet the charges on (said) account. The matter is however under correspondence with the Inspector General of Prisons along with the question of raising the free allowance of water to the two jails, and I am to request that pending final orders of Govt. in the matter the supply may be continued.

I have the honour to be,
Sir,
Your most obedient servant,
Secretary to Government.

To
The Chief Engineer,
Mysore.

G 18786 dy 6.4.21

Copy letter dy of Prisons with the request that his proposals on the points referred to may be acted early by the orders of Govt. Soo D. M.

31.3.21.

DIARY No. 89 39

Pris. 3]

No. 901 | 135-07

Enc. 2

Office of the Inspr.-Gen. of Prisons in Mysore,

SERIA

Dated Bangalore, 16 July 1921.

FROM

Dr. H. B. Mylvaganam, F.R.C.S.,

Inspector-General of Prisons

in Mysore, Bangalore.

To

B. Ramaswamaiya Esqr., B.A.,B.L.,

Secretary to the Government of H.H. the Maharaja

of Mysore, Revenue Department, Bangalore.

Rev. Dept. X

SIR,

With reference to your letter No.G.24800/Pris. dated 22nd June 1921 re- the increase of free allowance of water to the Jails, I have the honor to state that the matter of fixing meters to the taps from which water is drawn for non-domestic purposes in the Jails is under correspondence between the Superintendents of the two Jails and the Water Works Department. Unless the amount of water used for domestic and non-domestic purposes is known separately, the Superintendents of the two Jails state that, it is not possible for them to submit proposals in the matter.

2. I submit herewith for your kind perusal copies of letters received from the Superintendents of Jails on the subject. The Superintendents are however directed to get this work done early and submit their proposals. The same will be duly submitted to Government in due course.

I have the honor to be,
Sir,
Your most obedient servant,

H. B. Mylvaganam

Inspector-General of Prisons.

0773

1921

FROM

THE INSPR.-GEN. OF PRISONS

IN MYSORE, BANGALORE.

To

The Secretary to the Govt. of

H. H. the Maharaja of

Mysore - Revenue Dept.

Bangalore

Dated

Despatched 7th July 1921

Received

GEN & REV. SEC.

17 - JUL 1921

4-20 P.M.

General No. 901

No. 135-07

Enclosure No. 2

States that the matter of fixing meters to the taps from which water is drawn for non-domestic purposes in the Jails is under correspondence between the Superintendents of two Jails and the Water Works Department and forwards copies of correspondence between them in the matter.

GPB—300—6-7-14

Letter No.962/F.76 dated 28th June 1921, from the Superintendent, Bangalore Central Jail, Bangalore, to the Inspector General of Prisons in Mysore, Bangalore.

In continuation of my letter No.724/F.76 dated 13-5-21, I have the honour to state that the Executive Engineer, Water Supply Division who had been requested to fix separate meters to the taps in the jail for guaging water consumed both for domestic as well as non-domestic purposes has replied that the separation of domestic rom the non-domestic connections was effected in 1918, after consulting the then Superintendent of this jail. I enclose herein a a copy of this reply No.663 dated 28/30th May 1921 for favour of perusal.

2. The explanation of the Range Officer, Chamarajendra Water Works (who visited and inspected the taps in the jail) as to how he determines the quantity of water consumed both for non-domestic and domestic purposes is as follows:-

Meters have been kept for Industrial Sections and the quantity of water consumed for non-domestic purpose is guaged from these metres and the consumption thus guaged is deducted from the main metre and the balance of water is taken as having been consumed for domestic purposes. Vide his letter No.425/ dated 31-3121 addressed to the Executive Engineer, Water Supply Division, copy of which is also enclosed.

3. In this connection, I beg to state that the metres to the taps in the Industrial Sections have not been fixed properly. I submit herewith a list which shows the number of taps and metres kept in the jail and the places of their situation.. As can be seen from the Range Officer's letter No.425 dated 31-3-21 quoted above, quarantine shed has been taken by the Water Supply Department as an Industrial Section and water consumed in that shed is included under non-domestic concerns. This is not correct in consideration of the fact that water in the said quarantine is used by prisoners

prisoners for the purposes of bathing and drinking and not for any industrial work. I submit herewith, for favour of perusal, a copy of my letter No.600/F.76 dated 16.4.21 to the Executive Engineer, Water Supply Division, explaining to him all these facts.

4. In these circumstances, I beg to request that, since the metres and taps are all to be refixed properly, you will be so good as to address the Chief Engineer of Mysore to cause necessary instructions to be issued to the Water Supply authorities in the matter, at a very early. date.. Further, I have to state that the wastage of water in the jail is mostly due to the present cocks fixed to the taps. These cocks may kindly be caused to be replaced by push-cocks.

XXXXXXXXXXXXXXXXXX

"C O P Y"

H.B. Mylangam

Inspector General of Prisons in Mysore.

Letter No.605/F.42 dated 30th June 1921, from the Superintendent, Mysore Jail, Mysore, to the Inspector General of Prisons in Mysore, Bangalore.

With reference to your No.858-59/135-07 dated the 28th June 1921, calling for proposals regarding the increase of free allowance of water to this Jail, I have the honour to submit herewith an estimate amounting to Rs.78/- being the probable cost of setting up a separate tap to metre water used for non-domestic purposes and to request that the same may be countersigned and transmitted to the Superintending Engineer for sanction.

2. Definite proposals can only be made after the new tap is set up and the consumption on account of non-domestic purposes separately metred for a month.

3. If, in the meanwhile, a reply has to be furnished to Government, they may be requested to fix the free allowance of water at 6000 gallons per day irrespective of the number of inmates confined in this Jail. Vide this office No.366/F.42 dated 25-4-1921).

****

"C O P Y"

K.B. Mylvaganam

Inspector General of Prisons in Mysore.

2438 pm28-20-8 DIARY No. 293/9 (43

No M 579

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,
Dated Bangalore. 20 July 1921.

GEN & REV. SECT. 21 JUL 1921

FROM

S. CADAMBI, ESQ.,
Chief Engineer of Mysore, Bangalore.

To

The Secretary to Government,
Revenue Department, Bangalore.

22 JUL 1921.

SIR,

With reference to your letter No.G.18785/Prisons.28-20-7 dated the 6th April 1921, regarding the adjustment of the excess water charges of the jails at Mysore and Bangalore, I have the honour to forward herewith a copy of letter No.178 dated the 12th July 1921 received from the Superintending Engineer, -- Sanitary Circle, on the subject, and to request the favour of being informed as to when the question may be expected to be finally disposed of.

2. The favour of an early reply in the matter is requested.

I have the honour to be,

S i r,

Your most obedient servant,

R Subramanian
For Chief Engineer of Mysore.

A.N/19-7.

(44

G. R. S. III-2j

General and Revenue Secretariat.	File No.	of 19

Serial No.

44

Letter No.178 dated the 12th July 1921, from the Superintending Engineer, Sanitary Circle, to the Chief Engineer of Mysore, Bangalore.

++++++++++

With reference to correspondence ending with your Memo No.M. 8828 dated 14-4-21, regarding the adjustment of excess water --- charges of the Jails at Mysore and Bangalore, I have the honour to report that the arrears due from the Mysore Jail alone are over Rs.10,000/- and early orders regarding the adjustment are solicited.

==========

"COPY"

M. Rama Simhaya
Assistant Secretary to Government,
Public Works Department.

A.N/19-7.

NOTE—Contn. sheet.

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to..... 293

GENERAL AND REVENUE SECRETARIAT
( )
, *the* 191

Date of issue..... 12/8

Signed by.....

Section Pws
File No. 28-20
Serial No. 9

No. J 722 Emb

To

The Chief Engineer

Sir

With reference to the Correspo
endorsement from letter no M.5798 20/21 J.
regarding the adjustment of arre
excess water Charges of the Jails a
Mysore & Bangalore I am direc
to state that proposals for increa
the free allowance of water to the jails
from 6 lb to 12½ Gallons are awa
from the Govt. of pris.ons and that
after the receipt of the said proposa
final orders will be passed in
matter in due course.

I have etc

Dy 12/8

Dy 12/8

Berkeley

Dy 26/7

copies of letter received from the Govt
the Deptt of Jails re the increase of fr
allowance of water to the Jails are forw
herewith for your information -

07091

Pris 28-20-10

801

46

No M 1437

MYSORE PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE,

Dated Bangalore 22 August *1921*.

23

FROM

S. CADAMBI, ESQ.,

Chief Engineer of Mysore, Bangalore.

GEN & REV. SECTT
23 AUG 1921

TO

The Secretary to Government,

Revenue Department, Bangalore

24 AUG 1921

SIR,

I have the honour to acknowledge receipt of your letter No. J.722/Pris.28-20-9 dated 12th August 1921, stating that final orders in the matter of adjustment of arrear excess water --- charges of the jails at Mysore and Bangalore will be passed on receipt of proposals from the Inspector-General of Prisons for increasing the free allowance of water from 6¼ to 12½ gallons.

2. It will be seen from ~~XX~~.U.O.No.9/P.W.D. dated 30th January 1918 in the file that the free allowance has already been increas from 6¼ to 12½ gallons and there can be no question of further --- increasing the free allowance when the maximum of such allowance has already been reached.

I have the honour to be,
S i r,
Your most obedient servant,

R V Sundaram

For Chief Engineer of Mysore.

A.N/20-8.

(801)

13337

1638

47

No M. 3037

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,
Dated Bangalore. 25 October 1921.

FROM

S. CADAMBI, ESQ.,
Chief Engineer of Mysore, Bangalore.

To

The Secretary to the Government of Mysore,
Revenue Department, B a n g a l o r e.

Sir,

In continuation of this office letter No.M.1437 dated the 22nd August 1921 regarding the adjustment of arrear excess water - charges of the Jails at Mysore and Bangalore, I have the honour to forward herewith, a copy of Executive Engineer, Water Supply ----- Division's letter No.1036 dated the 21st September 1921 addressed to the Superintending Engineer, Sanitary Circle, and to request the favour of early orders being passed for the adjustment of the ---- arrears long outstanding.

I have the honour to be,
Sir,
Your most obedient servant,

FOR CHIEF ENGINEER OF MYSORE.

T.R.S./25-10/2.

Letter No.1036 dated the 21st September 1921, from the ---- Executive Engineer, Water Supply Division, Bangalore, to the ----- Superintending Engineer, Sanitary Circle, Bangalore.

Excess water charges due on the Jails at Bangalore and Mysore.

Your letter No.685 dated 25th August 1921, forwarding copies of correspondence between the Inspector General of Prisons and the Superintendents of the Prisons of Bangalore and Mysore in the ----- matter of fixing definitely the amount of water used for domestic and non-domestic purposes at the two Jails in order to facilitate the submission of the proposals for applying for enhanced free --- allowance.

Adverting to the above, I have the honour to reply as ------ follows:-

MYSORE JAIL.

The letter No.605/F.42 dated 30th June 1921, from the Superintendent. Mysore Jail, to the Inspector General of Prisons reports about an estimate for Rs 78/- for a separate tap to meter the water used for non-domestic purposes, being submitted to the Inspector General of Prisons and that definite proposals would be made after this erection.

2. The estimate in question was received in this office only on the 13th September 1921, from the Executive Engineer, Mysore Division, in his letter No.1697 dated the 12th September 1921. The Superintendent, Vani Vilas Water Works has been ordered to execute the work at once. The sketch pertaining to this work is herein enclosed and there should be no more difficulty in gauging the water used for non-domestic purposes.

BANGALORE JAIL.

3. In connection with the question of the separation of domestic and non-domestic supplies and the meterings thereof, I have the honour to invite kind reference to docket No.M.11561 dated the 26th September 1918, from the Chief Engineer to the Superintending

Engineer, Southern Circle, in reference to his No.7000/G.280-18 dated 17th August 1918, submitting a sketch showing 6 places for installing meters M to gauge the non-domestic supplies. A lump sum of Rs 1,000/ for the same was sanctioned then and a detailed estimate for Rs 973/- was submitted to the Superintending Engineer, Sanitary Circle, in this office No.326 dated 22nd March 1919 for the above work. The same has been executed already. This arrangement provided meters to the six - sheds, viz., 1. Kambli, 2. Pottery, 3. Quarantine, 4. Carpentry, ----- 5. Weaving, and 6. Washing Sheds which were supposed to use water for non-domestic purposes. But the letter No.962/F.76 dated 28th June -- 1921, from the Superintendent, Bangalore Jail, to the Inspector ------ General of Prisons complains that the meters to the taps in the ------ Industrial sections have not been fixed properly. But the arrangement was explained in detail even in the year 1918, and the then ---------- Superintendent of the Jail was also convinced of the correctness of the -- gaugings. I therefore fail to see what the real trouble now is. He also complains that the Quarantine shed has been included in the non-domestic concern. This need not have been treated as non-domestic. But the Smithy section has not been included in non-domestic though it ought to have been and so I propose to change the meter from the ----- Quarantine to the Smithy and then there should not be any more trouble in the matter of gauging domestic and non-domestic supply in this Jail.

4. There is no interlinking among the meters and every one of them -- measures the water used in its particular portion.

5. The wastage of water in leaky taps reported by him is all attended to and satisfactory supply kept up.

6. Under these circumstances, I request that very early arrangement be made to fix the free allowance on the aforesaid two Jails and orders of Government obtained to adjust the excess water charges which are --- accumulating since 1914 to enormous sums.

"Copy".

T. Narasimhaya

Assistant Secretary to Government,
Public Works Department.

T.R.S./24-10.

11 DIARY NO. 1692 50

Pris. 3J

No. 1388/1350-07.

OFFICE OF THE INSPR.-GEN. OF PRISONS IN MYSORE,

Dated Bangalore 28 October 1921 191

FROM

Dr. H. B. Mylvaganam F.R.C.S., (Eng).,

Inspector-General of Prisons

in Mysore, Bangalore.

To

B. Ramaswamaiya Esqr., B.A., B.L.,

Secretary to the Government of H. H. the Maharaja

of Mysore, General Department, Bangalore.

SIR,

In reply to your letter No.J.1482/Pris 28-10-11 dated 9th September 1921, regarding the submission of proposals in the matter of increasing the free allowance of water to the Jails, I have the honor to state that it is reported by the Superintendents of both the Jails that the water consumed in the Jails for domestic and non-domestic purposes could not be gauged separately on account of the metres not having been properly fixed yet to some of the taps from which water is drawn for both these purposes and also on account of wastage of water due to the defective stop-cocks fixed to the taps. The matter of replacing the present cocks by " Push-Cocks " and of fixing metres properly to all the taps is reported to be still under correspondence between the Superintendents of the Jails and the Water Works Department.

In the meanwhile I beg to bring to the notice of Government that the nature of the domestic purposes for which water is required in the Jails are as follows :-

(1) For Cooking prisoner's food.
(2) " Cleaning cooking vessels.
(3) " Flushing Kitchen.
(4) " " Barracks and cells.
(5) " " Drains.
(6) " " Latrines
(7) For bathing of prisoners.
(8) " Washing of prisoners' Clothes.
(9) " Ablutionary & other purposes.

The Superintendent of the Mysore Jail proposes to allow an approximate quantity of 6000 gallons of water per day to the Mysore Jail wherein a prison population of 376 souls could be -

accommodated.

13559

GPB—306—29-6-15

191

From

The Insptr.-Gen. of Prisons

in Mysore, Bangalor

To

The Secy to Govt.

General Department,

Bangalore

Dated 28th October. 1921.

Despatched

Received

GEN & REV. SEC.

29 OCT 1921

General No. 1388

No. 13507.

29.10.21

Enclosure No.

Subject

Submits proposals in the matter of increasing the free allowance of water to the Jails.

JUDICIAL AND REVENUE SECRETARI

29 OCT 1921

This gives an average of nearly 16 gallons of water per prisoner per day. This fixed allowance is stated to be necessary irrespective of the rise and fall in the daily average population of a Jail.

Similarly the quantity of free allowance of water that can be fixed to the Central Jail comes up to 14,112 gallons per day calcula-ted at 16 gallons for a Jail population of 882 prisoners which the Central Jail is capable of accommodating. In consideration of the up-keep of the Sanitary condition of the Jails and the health of prisoners the free allowance proposed by the Superintendent is not ~~exhaustive~~ excessive.

Water drawn in excess of the quantity and that used for non-domestic purposes will have to be paid for by the Jail Department. If the free allowance is fixed the excess quantity drawn can easily be calculated by deducting the free allowance from the total quantity consumed.

I request therefore that if the proposal commends itself to you you will be so good as to obtain sanction of Government for fixing the free allowance of water to Jails at 16 gallons per prisoner per day and intimate the same at an early date. The information regarding the quantity of water consumed for domestic and non-domestic purposes separately will be furnished to Government in due course on receipt of information from the Superintendents of Jails.

I have the honor to be,

Sir,

Your most obedient servant,

A. B. Mukherjee

Inspector-General of Prisons.

G. R. S. VI—G/32]

2 diff

5/2

SUBJECT.....

.....

.....

Diary No. of letter replied to 1692

General and Revenue Secretariat

( )

, the *191* .

Date of issue 19/11/21

Signed by Mr. Cuq.

Section Pris

File No. 18-20

Serial No. 12

No. J 2469

To

The S. G. of Prisons

Sir

With reference to Correspondence ending with J... letter no 1388/1350 of 28th Oct 1921 Regarding the increase of free allowance of water to the jails I am directed to request you to be so good as to ascertain & intimate to this Office the quantity per head per day allowed to jail inmates of Madras & Bombay Presidency.

I am also to request that the Jail Supdt may be instructed to take immediate steps to regularise the Supply for domestic & non-domestic purposes. The Chief Engineer has also been requested to give necessary instructions to the Water Supply department.

I have etc

Cuq
14/11

EC/14/11
DT
14/11

2 Offs

53

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 1638

General and Revenue Secretariat

( )

, the *191*

Date of issue 19/11/21

Signed by Mr Cuq.

Section Pbs

File No. 28-20

Serial No. 132

No. J 2468

To

The Chief Engineer

Sir

With reference to Correspondence ending with your letter No M-3057 of 25th Oct 1921 re the adjustment of arrear excess water charges of the Jails at Bangalore & Mysore, I am directed to state that no final orders can be passed in the matter until the question of free allowance of water to the Jails is finally passed and to request that the Water Supply Dept may be asked to help the Supdt of the Jails in regularising the water supply for domestic & non-domestic purposes by repairs & putting up such as are required by the Jail Supdt.

Jhaveri

Gen Secy

16/11.

31361

Pris 28-20-14

2785/5

2

WD 06—G4B—800—11-4-16

Pris. 3]

OFFICE OF THE INSPECTOR-GENERAL OF PRISONS IN MYSORE,

No. 147 / 135-07

Dated Bangalore, 24 January 1922. 25

FROM

Dr. H. B. Mylvaganam, F.R.C.S., (Eng).

Inspector-General of Prisons in Mysore,

Bangalore.

To

S. Hiriannaiya Esqr., M.A., B.L.,

Secretary to the Government of H. H. the Maharaja

of Mysore, General Department, B'lore.

JUDICIAL 2 JAN 1922 JUDICIAL BRANCH.

SIR,

Adverting to para 1 of your letter No.J.2469/Pris 28-20-19 dated 19th November 1921, I have the honor to - intimate that the Inspector-General of Prisons, Bombay Presidency, states that all water in every Jail has to be paid for and the payment is made either to Public Works - Department or to the Municipality, as the case may be. There is no system of free allowance of water to a prisoner in that Presidency and no fixed scale of water per prisoner. But in the new Central Jail at Hindalgi (Belgaum) which is under construction, the scale of 25 gallons per prisoner for all - purpose, has been adopted as an average.

2. The Inspector-General of Prisons, Madras Presidency, states that 50 gallons of water for every ruppe of the monthly rental valuation of the building are allowed free at the penitentiary Madras, where the Jail buildings are situated within the limits

of

63

of the Corporation of Madras.

I have the honor to be,

Sir,

Your most obedient servant,

S Thomas

for Inspector-General of Prisons.
(absent from Station.)

FROM

THE INSPECTOR-GENERAL OF
PRISONS IN MYSORE,
BANGALORE.

To

The Secretary
to Govt. General Depte
Bangalore.

Dated 24-1-22.

Despatched 25-1-22.

Received

General No. 147
No. 135-07

Enclosure No.

56

G. R. S. VI-71]

SUBJECT .....

.....

.....

Diary No. of letter replied to 1785

General and Revenue Secretariat

( )

, *the* 192 .

Date of issue 28. 3. 22

Signed by Mr Cag

Section Pris

File No. 2 D. 20

Serial No. 15

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read–

Correspondence ending with letter no. 147/135-07 dated 24.1.08 from the D.C. Chitradurga in the matter of the increase of free allowance of water to the Gaols at Bangalore & Mysore and requesting under the circumstances explained for the free supply of 16 gallons per head per day.

May this be

i printed?

ii treated as a standing order?

iii published in the Gazette English part?

iv translated?

v placed at the disposal of the Press?

vi published in the Gazette Kannada part?

Order Thereon:– No. 4521-3

It is seen from the records that a free allowance of 12½ Gallons per head per day – the maximum quantity allowed for a free citizen, has been already allowed for both the gaols in accordance with this office letter no. J. 178 dated 19.7.1907 and no case has been made out to exceed this limit, which should be strictly adhered to: meters should be fixed and all excess water over this limit-

over

57

should be kept for promotion

Report of the Civil Service Board.

Early Examinations should be made for the economical use of water and prevention of unnecessary waste.

Strict Economy should be Enforced at the Reservoirs.

24/3

Lieut Govt.
Chief Secy

War
15/3

16

The Inspector General,
The Chief Engineer
The Commissioner
Colombo P.W.D. Circle

Circ
15/3/22

List of enclosures.

Copied by

Examined by